



Pablo®

BRAZO

BRAZO

DESCRIPTION

Brazo's precision machined aluminum construction allows for optimal task lighting control with 360° adjustability and 90° tilt. Brazo features a luminous and energy-efficient LED light source which can be dialed to any desired beam-spread and brightness depending on the task.

DESIGNER

Pablo Pardo 2007 / 2008

MATERIALS

- CNC machined aluminum
- Pyrex Glass

FEATURES

- 360° arm rotation
- 90° arm tilt
- Calibrated light focus control
- Height adjustable
- Advanced LED array eliminates multiple shadows
- Full-range dim
- Ships flat-packed
- 97% recyclable



SPECIFICATIONS

- Voltage: 120-240V 60Hz
- Power Consumption: 9W
- Color temperature: 3000K
- Luminosity: 400 Lumens
- Luminaire efficacy: 43 Lumens/Watt
- Color Rendition Index: 85 CRI
- 50K hour lifespan
- Cord length: 8' (244cm)
- Global Multi-plug adapter available
- 1 year warranty
- Certifications: UL, CE, RoHS




DIMENSIONS

BRAZO TABLE



BRAZO FLOOR



FINISH OPTIONS

BRAZO TABLE AND FLOOR



Silver



Black



White



Bronze

Pablo[®]

888 MARIN STREET SAN FRANCISCO, CA 94124
PABLODESIGNS.COM