

Project:

Fixture Type:

Location:

Contact:

Glenfalls

Ceiling Mounted • Dry Location Listed PROGRESS LED



P250021-028-30

Description:

Glenfalls Collection 5-Blade Reversible White/Chestnut 56-Inch AC Motor LED Transitional Ceiling Fan

Specifications:

- White Opal Glass Bowl
- Dimmable to 10% brightness (See Dimming Notes)
- Canopy covers a standard 4" recessed outlet box: 5.125 in W., 2.325 in ht., 5.125 in depth
- + 80 in of wire supplied

Performance:

| Number of Modules | 1 |
|------------------------|------------------------------------|
| Input Power | 24 W |
| Input Voltage | 120 V |
| Input Frequency | 60 Hz |
| Lumens/LPW (Delivered) | 2,100 |
| CCT | 3000 K |
| CRI | 90 CRI |
| Life (hours) | 50000 (L70/TM-21) |
| EMI/RFI | FCC Title 47, Part 15, Class B |
| Warranty | Limited Lifetime Warranty |
| Labels | cULus Dry Location Listed |
| | Meets California Title 24 JA8-2016 |
| | AC motor |



Dimensions:

Length: 56 in Diameter: 56 in Height: 14-7/8 in

White Opal Glass Bowl Width: 7-3/4 in Height: 2 in



Glenfalls

Ceiling Mounted • Dry Location Listed PROGRESS LED

Dimming Notes:

P250021-028-30 is designed to be compatible with many Triac/Forward Phase ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

IDevices IDEV009

Lutron NTEVL-300

Lutron DVELV-300P

Lutron DVCL-253P

Lutron TGCL-153-PH-WH

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.

P250021-028-30