Albin

Ceiling Mounted • Damp Location Listed PROGRESS LED

Description:

This ceiling fan offers a modern take on a traditional design that will find a perfect home in a variety of outdoor spaces and lifestyles. Five blades finished in a faux wood grain texture extend from a modern-style architectural bronze center column. An LED light is encased in a crisp opal shade to illuminate a well-loved space meant to be lived-in and enjoyed.

Specifications:

- White Opal glass Bowl
- Five blades finished in a faux wood grain texture extend from a modern-style architectural bronze center column.
- An LED light is encased in a crisp opal shade to illuminate a well-loved space meant to be lived-in and enjoyed.
- This ceiling fan offers a modern take on a traditional design that will find a perfect home in a variety of outdoor spaces and lifestyles.
- Ideal for any living room, great room, bedroom, or covered patio.
- Perfect for any modern or transitional setting.
- Measures 54-inch width by 15-9/16-inch height.
- Uses one LED module that is included (24w max).
- Remote control included.
- Includes installation instructions and mounting hardware.
- Progress Lighting products are designed for exceptional quality, reliability, and functionality.
- Dimmable to 10% brightness (See Dimming Notes)
- Canopy covers a standard 4" recessed outlet box: 6.31 in W., 2.19 in ht., 6.31 in depth
- 80 in of wire supplied

P250036-129-30

Performance:

Number of Modules	1
Input Power	24 W
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Source)	2,000/83 (LM-82)
CCT	3000 K
CRI	90 CRI
Life (hours)	50000 (L70/TM-21)
Warranty	Limited Lifetime Warranty
Labels	cULus Damp Location Listed
	Meets California Title 24 JA8-2019
	AC motor

Dimensions:

Diameter: 54 in
Height: 15-5/8 in

White Opal glass Bowl
Width: 8-1/2 in
Height: 2-5/8 in

ENERGYGUIDE

Estimated Yearly Energy Cost
$12

$3 — $34

Cost Range of Similar Models (19" – 84")

- Based on 12 cents per kWh and 6.4 hours use per day
- **Your cost depends on rates and use**
- Energy Use: 43 Watts

Airflow
4,059
Cubic Feet Per Minute

- The higher the airflow, the more air the fan will move
- Airflow Efficiency: 95 Cubic Feet Per Minute Per Watt

All estimates based on typical use, excluding lights

ftc.gov/energy

P250036-129-30

Dimming Notes:

P250036-129-30 is designed to be compatible with many Triac/ELV controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

IDevices IDEV009

Lutron NTEVL-300

Lutron DVELV-300P

Lutron DVCL-253P

Lutron TGCL-153-PH-WH

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.
Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.
Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.