

| Project: | | |
|---------------|--|--|
| Fixture Type: | | |
| Location: | | |
| Contact: | | |

Phase 3 LED

Wall Mounted • Damp Location Listed PROGRESS LED

Description:

Phase 3 Collection 32 in. Matte Black Large Modern 3CCT Integrated LED Linear Vanity Light

Specifications:

- · Diffused Plastic Cylindrical
- · Dimmable to 10% brightness (See Dimming Notes)
- · Canopy covers a standard 4" recessed outlet box: 6.09 in W., 4.96 in ht., 1.38 in depth
- · Swivel mounting strap for outlet box included
- 10 in of wire supplied
- · Americans With Disabilities Act (ADA) compliant

Performance:

| Input Power | 22 W | |
|------------------------|------------------------------------|--|
| Input Voltage | 120 V | |
| Input Frequency | 60 Hz | |
| Lumens/LPW (Delivered) | 1,948/88 (LM-79) | |
| CRI | 90 CRI | |
| Life (hours) | 50000 (L70/TM-21) | |
| EMI/RFI | FCC Title 47, Part 15, Class B | |
| Warranty | 5-year Limited Warranty | |
| Labels | cCSAus Damp Location Listed | |
| | Meets California Title 24 JA8-2016 | |

P300412-31M-CS



Dimensions:

Width: 32 in Extends: 3 in

Height: 5-11/16 in (glass facing up)



Phase 3 LED

Wall Mounted • Damp Location Listed PROGRESS LED

Photometrics:

P300412-31M-CS

ELECTRICAL DATA P300412-31M-CS

Input Voltage 120 V
Input Frequency 60 Hz
THD <20%

EMI/RFI FCC Title 47, Part 15, Class B

Operating Temperature $-30 \, ^{\circ}\text{C}$ to $30 \, ^{\circ}\text{C}$

Dimming Yes*

Over-voltage, over-current, short-circuit protected *See Dimming Notes for more information



Phase 3 LED

Wall Mounted • Damp Location Listed PROGRESS LED

Dimming Notes:

P300412-31M-CS

P300412-31M-CS is designed to be compatible with many ELV/Reverse Phase Triac/Forward Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

Eaton SAL06P
Leviton 6681
Leviton IPI06-1LZ
Leviton 6672
Leviton 6674
Lutron NTEVL-300
Lutron DVELV-300P
Lutron DVCL-253P
Lutron Caseta Wireless
Idevices IDEV009
Lutron AYCL-153P
Lutron SCL-153P
Lutron TGCL-153-PH-WH
Lutron MACL-153M

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.