

Captarent LED

Wall Mounted • Damp Location Listed **PROGRESS LED**

Description:

Captarent Collection 24 in. Round Illuminated Integrated LED White Modern Mirror


Specifications:

- Reflective Silver Glass Flat Round
- Diffused Glass Flat Round
- Dimmable to 10% brightness (See Dimming Notes)
- 59 in of wire supplied
- Americans With Disabilities Act (ADA) compliant

Performance:

| | |
|------------------------|------------------------------------|
| Input Power | 24 W |
| Input Voltage | 120 V |
| Input Frequency | 60 Hz |
| Lumens/LPW (Delivered) | 2,164/90 (LM-79)CRI 90 CRI |
| Life (hours) | 50000 (L70/TM-21) |
| EMI/RFI | FCC Title 47, Part 15, Class B |
| Warranty | 5-year Limited Warranty |
| Labels | cETLus Damp Location Listed |
| | Meets California Title 24 JA8-2016 |

P300454-030-30



Dimensions:

Width: 24 in
Extends: 1-5/8 in
Height: 24 in

Reflective Silver Glass Flat Round
Width: 0-1/4 in
Height: 24 in

Photometrics:

P300454-030-30

| | |
|---|--------------------------------|
| ELECTRICAL DATA | P300454-030-30 |
| Input Voltage | 120 V |
| Input Frequency | 60 Hz |
| THD | <20% |
| EMI/RFI | FCC Title 47, Part 15, Class B |
| Operating Temperature | -30 °C to 30 °C |
| Dimming | Yes* |
| Over-voltage, over-current, short-circuit protected | |

*See Dimming Notes for more information

P300454-030-30

Dimming Notes:

P300454-030-30 is designed to be compatible with many ELV/Reverse Phase Triac/Forward Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

Eaton SAL06P

Leviton 6681

Leviton 6672

Leviton 6674

Lutron DVELV-300P

Lutron DVCL-253P

Lutron AYCL-153P

Lutron SCL-153P

Lutron TGCL-153-PH-WH

Lutron MACL-153M

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.