

# One-Light LED Flush Mount

Ceiling mounted • Damp location listed



## Description:

One-light 11 inch LED Flush Mount in Brushed Nickel features a white linen glass bowl. Fixtures are dimmable to 10 percent with Triac, phase forward or ELV dimmers. 3000K and 90 CRI.

## Specifications:

- Brushed Nickel (-009) (plated)
- Steel Construction
- Etched White Linen glass bowl
- 920 lumens 44 lumens/watt (delivered)
- 3000k color temperature, 90+ CRI
- TM-21 54,000 hour life.
- Dimmable to 10% brightness (See Dimming Notes)
- Unit covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 6" of wire supplied
- ENERGY STAR® qualified
- Meets California Title 24 JA8-2016

## Performance:

Number of Modules	1
Input Power	21w
Input Voltage	120 V
Input Frequency	50/60 Hz
Lumens/LPW (Source)	1601/81 (LM-82)
Lumens/LPW (Delivered)	920/44 (LM-79)
CCT	3000 K
CRI	90 CRI
Life (hours)	54,000 (L70/TM-21)
FCC	FCC Title 47, Part 15, Class B
Min. Start Temp	-25 °C
Max. Operating Temp	25 °C
Warranty	5 year warranty
Labels	ETL Damp location listed ENERGY STAR® qualified Meets California Title 24 JA8-2016


## P350005-009-30

## Images:



## Dimensions:

Diameter: 11"  
Height: 4-5/8"



**LED lighting facts®**  
A Program of the U.S. DOE

<b>Light Output (Lumens)</b>	<b>920</b>
<b>Watts</b>	<b>20.94</b>
<b>Lumens per Watt (Efficacy)</b>	<b>43.94</b>
<b>Color Accuracy</b> Color Rendering Index (CRI)	<b>90</b>
<b>Light Color</b> Correlated Color Temperature (CCT)	<b>3000 (Bright White)</b>

2700K 3000K 4500K 6500K

All results are according to IESNA LM-79-2006: Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit [www.lightingfacts.com](http://www.lightingfacts.com) for the Label Reference Guide.

Registration Number: TH84-28RZPT (9/13/2016)  
Model Number: P350005-009-30  
Type: Luminaire - Decorative

## P350005-009-30

### Dimming Notes:

---

P350005 is designed to be compatible with many Triac/Forward Phase or ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

### Dimming Controls

---

Lutron NTELV-300

Leviton 6672

Leviton 6674

Lutron AYLV-600P

Lutron NTLV-600

Lutron MAELV-600

Lutron N-600

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.