

#### Project:

Fixture Type: Location:

Contact:

LED Bulkheads

Wall or ceiling mounted • Wet location listed PROGRESS LED

Images:



### **Description:**

## P3650-3030K9

One-Light 9-1/2" LED Wall or Ceiling Bulkhead. General purpose LED luminaire comprised of a diecast aluminum frame and polycarbonate diffuser. Fixtures are impact resistant and can be mounted on wall or ceiling. Replaceable LED module. White finish.

#### **Specifications:**

- White (-30) (powder coat paint)
- Aluminum Construction •
- White polycarbonate diffuser .
- LED Module is replaceable (part # 93053641)
- · Robust and energy efficient.
- Offers various mounting options. .
- . Can be widely adapted for indoor and outdoor applications.
- 1,211 lumens 71.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- · Dimmable to 10% brightness (See Dimming Notes)
- Unit covers a standard 4" octagonal recessed outlet box •
- Mounting strap for outlet box included
- . 6" of wire supplied
- . ENERGY STAR<sup>®</sup> qualified
- · Meets California Title 24 high efficacy requirements for outdoor use only

#### **Performance:**

Number of Modules	1	Diamete
Input Power	17w	Depth: ∠ Height:
Input Voltage	120 V	
Input Frequency	60 Hz	H/CTR:
Lumens/LPW (Source)	1211/71.2 (LM-82)	
Lumens/LPW (Delivered)	922/54.6 (LM-79)	Glass
ССТ	3000 К	Width: 9
CRI	90 CRI	Length: Height:
Life (hours)	60,000 (L70/TM-21)	0
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-30 °C	
Max. Operating Temp	30 °C	
Warranty	5 year warranty	
Labels	cCSAus Wet location listed	
	ENERGY STAR® qualified	
	Meets California Title 24 high efficacy requirements	
	for outdoor use only	

4-11/16" 9-1/8" 4-3/4"

9-3/16" 9-3/16" 3-5/8"





# LED Bulkheads



nergy

#### **Dimming Notes:**

P3650 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

#### **Dimming Controls**

Lutron	Nova T NTELV-300
Lutron	Vierti VTELV-600
Lutron	Maestro MAELV-600
Lutron	spacer/system SPSELV-600
Leviton	Renoir II AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.