

One-Light Outdoor

Project:

Fixture Type: Location:

Contact:

Wall mounted • Wet location listed PROGRESS LED



P5864-3130K9

Westport LED offers traditional styling to complement a variety of home decor options. A durable diecast aluminum frame cradles a softly diffused seeded glass shade. 3000K, 90+ CRI 1,211 lumens 71.2 lumens/watt per module (source). One-light LED wall mount.

Specifications:

Description:

- Black (-31) (powder coat paint)
- Die-cast aluminum Construction
- Etched Seeded glass shade
- LED Module is replaceable (part # 93053641)
- Traditional styling.
- · Softly diffused seeded glass shade.
- \cdot Complements many home decor styles with beaded detailing.
- 1,211 lumens 71.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- Dimmable to 10% brightness (See Dimming Notes)
- Back plate covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 6" of wire supplied
- ENERGY STAR[®] qualified
- Meets California Title 24 high efficacy requirements for outdoor use only

Performance:

Number of Modules1Input Power17wInput Voltage120 VInput Frequency60 HzLumens/LPW (Source)1211/71.2 (LM-82)Lumens (LDW (Parking the parking the		
Input Voltage120 VInput Frequency60 HzLumens/LPW (Source)1211/71.2 (LM-82)		C F
Input Frequency60 HzLumens/LPW (Source)1211/71.2 (LM-82)		F
Lumens/LPW (Source) 1211/71.2 (LM-82)		
		F
Lumens/LPW (Delivered) 594/38.0769230769231 (LM-79)		
ССТ 3000 К		
CRI 90 CRI		
Life (hours) 60,000 (L70/TM-21)		
FCC Meets FCC Title 47, Part 15 Class B		
Min. Start Temp -30 °C		
Max. Operating Temp 30 °C		
Warranty 5 year warranty		
Labels cCSAus Wet location listed		
ENERGY STAR [®] qualified		
Meets California Title 24 high efficacy requ	uirements	
for outdoor use only		

Images:



Dimensions:

Width: 11" Depth: 12-7/8" Height: 15-3/8" H/CTR: 4"



One-Light Outdoor

Wall mounted • Wet location listed PROGRESS LED



P5864-3130K9

Dimming Notes:

P5864 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron Nova T NTELV-300

Lutron Vierti VTELV-600

Lutron Maestro MAELV-600

Lutron spacer/system SPSELV-600

Leviton Renoir II AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.