

Small Wall Lantern

Project:

Fixture Type:

Location:

Contact:

Images:

Wall mounted • Wet location listed PROGRESS LED



P6077-2030K9

Small LED Wall lantern with contemporary styling and clear seeded glass. 120V AC replaceable LED module, 623 lumens (source) 3000K color temperature and 90+ CRI.

Specifications:

Description:

- · Antique Bronze (-20) (powder coat paint)
- Aluminum Construction
- Clear Seeded glass shade, White acrylic Diffuser •
- LED Module is replaceable (part # 93054049) .
- · Contemporary styling.
- Features clear seeded glass. .
- Powder coated finish. .
- 623 lumens 69.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- · Dimmable to 10% brightness (See Dimming Notes)
- · Back plate covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included •
- 6" of wire supplied .
- ENERGY STAR® qualified
- · Meets California Title 24 high efficacy requirements for outdoor use only

Performance:

		Dimon
Number of Modules	1	Dimen
Input Power	9w	Width: 9 Depth: 7 Height: H/CTR:
Input Voltage	120 V	
Input Frequency	60 Hz	
Lumens/LPW (Source)	623/69.2 (LM-82)	
Lumens/LPW (Delivered)	310/41.9 (LM-79)	
ССТ	3000 K	Glass Width: 2 Length: Height: Glass 2 Width: 2 Length: Height:
CRI	90 CRI	
Life (hours)	60,000 (L70/TM-21)	
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-30 °C	
Max. Operating Temp	30 ℃	
Warranty	5 year warranty	
Labels	cCSAus Wet location listed	
	ENERGY STAR® qualified	
	Meets California Title 24 high efficacy requirements	
	for outdoor use only	



nsions:

5-3/4" 7-1/2" t: 7-7/8" ₹: 4-3/4"

4-5/16" 1: 4-5/16" t: 5" 2-7/8" 1: 2-7/8" t: 0-13/16"



Small Wall Lantern

Wall mounted • Wet location listed PROGRESS LED



P6077-2030K9

Dimming Notes:

P6077 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron Nova T NTELV-300

Lutron Vierti VTELV-600

Lutron Ariadni AYCL-153P

Lutron Diva DVCL-153P

Lutron Maestro MAELV-600

Lutron spacer/system SPSELV-600

Leviton Renoir II AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.